

Integrated smart toilet introduction

[illegible]

Specifications									
Water Inlet		G1/2 or G3/8			Drying	Min air volume	≥ 0.2 m³/s		
Applicable voltage		AC220V-240V, 50/60HZ				Max heating power	230W		
Power Rated		1200W/1250W				Drying cycle	4 minutes		
Power cord length		1.8M				Wind temperature	Close, 40-60℃		
Applicable ambient temperature		4-40℃				Safety Device	Thermostat, temperature fuse		
Waterproof Grade		IPX4			Heating seat	Seat temperature	Close or 32-40℃		
Cleaning	Applicable water pressure	0.075~0.8MPa(0.75~8Bar)				Heating power	50W		
	Applicable water Temp	4~35℃				Safety Device	Thermostat, temperature fuse		
	Water Flow	550-750 ml/Min				Deodorization method	Diatom pure		
	Water Temp	Close or 32-40℃				Other safety device	Leakage Protection		
	Cleaning cycle	3 minutes			Product Net Weight	30KGS			
	Heat mode	Instant			Dimension	600*385*400mm			
	Max heating power	1400W							
	Safety Device	Temperature fuse, level switch, thermostat							
	Anti-backflow Device	Air gap							

Integrated smart toilet introduction

Certification and implementation standards and use of environmental requirements		
Water saving standard	Dual water saving 3.5/5L	●
Certification and implementation standards	CE /CB / GS certification	●
	SAA / Watermark certification	●
	RoHS certification	●
	GB-6952 / EN-997	●
	EN1717	●
	REACH	●
	IPX4	●
Use environmental water pressure requirement	Water supply static pressure 0.075MPa-0.8MPa	●
	Ambient temperature 1 ° C -40 ° C, relative humidity is not more than 95%	●

Certification List

S/N	Test item		Market of application	Test range	Certification Status	Test agency
1	CE	LVD	欧洲市场 Europe	低电压指令, (安规) Low voltage instruction, (safety gauge)	OK	SGS
		EMC	欧洲市场 Europe	EMC指令 EMC instruction		
		RED	欧洲市场 Europe	无线射频指令 Radio frequency instruction		
2	ROHS		欧洲市场 Europe	整机所有零件 All the components	OK	SGS
3	EN1717		欧洲市场 Europe	水箱结构 Water tank structure	OK	LGA
4	REACH		欧洲市场 Europe	整机所有零件 All the components	OK	SGS
5	GS		德国市场 German	安全方面 Germany safety	OK	SGS
6	Watermark		澳大利亚市场 Australia	所有为管道排水设计的产品 All parts for pipe drainage	OK	SAL
7	SAA		澳大利亚市场 Australia	电器产品 Electronic parts	OK	SGS
8	Water efficiency level		中国 China	整机含水箱 All products with water tank	OK	中国建材检验 认证集团