

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 1 of 19

ANHUI JIT NEW MATERIAL CO., LTD.

NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ANHUI PROVINCE, CHINA

The following sample(s) was/were submitted and identified by the client as:

Sample Description : XPS SHOWER TRAY

Style No. : ST88CE/CO, ST99CE/CO, ST1010CE/OF/CO, ST1012CE/OF/CO, ST812CE/OF/CO, ST814CE/OF, ST815CE/OF, ST912CE/OF/CO, ST914CE/OF, ST915CE/OF, ST916CE/OF, ST1212CE/OF/CO, ST918CE/OF

Sample Receiving Date : NOV. 14, 2025

Testing Period : NOV. 14, 2025 TO DEC. 30, 2025

Testing Lab Address : 2F No. 7 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China

Test Requested

1. EN 14527:2016+A1:2018 SHOWER TRAYS FOR DOMESTIC PURPOSES

Result

Pass

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Ruby Gu

Ruby Gu
Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

General product information

Manufactured from ANHUI JIT NEW MATERIAL CO., LTD.

THE SAMPLE 1 SUBMITTED WAS A SHOWER TRAY. OVERALL DIMENSION: 1200X1200MM.

Style No.: ST1212CE

Copy of marking plate and summary of test results (information/comments):



ANHUI JIT NEW MATERIAL CO., LTD.
NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH
INDUSTRIAL DEVELOPMENT ZONE, ANHUI
PROVINCE, CHINA

25

Declaration of Performance XXXXXX
EN 14527 – CL1 + CL2

Intended use: Personal hygiene

Product type: XPS shower tray ST1212CE

Material: Plastic

Dimensions: 1200x1200mm

Cleanability:

Pass

Durability:

Pass

CE marking on the product



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 3 of 19

THE SAMPLE 2 SUBMITTED WAS A SHOWER TRAY. OVERALL DIMENSION: 1200X1200MM.

Style No.: ST1212OF

■ Copy of marking plate and summary of test results (information/comments):



ANHUI JIT NEW MATERIAL CO., LTD.
NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH
INDUSTRIAL DEVELOPMENT ZONE, ANHUI
PROVINCE, CHINA

25

Declaration of Performance XXXXXX
EN 14527 – CL1 + CL2

Intended use: Personal hygiene

Product type: XPS shower tray ST1212OF

Material: Plastic

Dimensions: 1200x1200mm

Cleanability:

Pass

Durability:

Pass

CE marking on the product



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 4 of 19

THE SAMPLE 3 SUBMITTED WAS A SHOWER TRAY. OVERALL DIMENSION: 1200X1200MM.

Style No.: ST1212CO

■ Copy of marking plate and summary of test results (information/comments):



ANHUI JIT NEW MATERIAL CO., LTD.
NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH
INDUSTRIAL DEVELOPMENT ZONE, ANHUI
PROVINCE, CHINA

25

Declaration of Performance XXXXXX
EN 14527 – CL1 + CL2

Intended use: Personal hygiene

Product type: XPS shower tray ST1212CO

Material: Plastic

Dimensions: 1200x1200mm

Cleanability:

Pass

Durability:

Pass

CE marking on the product



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSL Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.ssgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 5 of 19

THE SAMPLE 4 SUBMITTED WAS A SHOWER TRAY. OVERALL DIMENSION: 900X1800MM.

Style No.: ST918CE

■ Copy of marking plate and summary of test results (information/comments):



ANHUI JIT NEW MATERIAL CO., LTD.
NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH
INDUSTRIAL DEVELOPMENT ZONE, ANHUI
PROVINCE, CHINA

25

Declaration of Performance XXXXXX
EN 14527 – CL1 + CL2

Intended use: Personal hygiene

Product type: XPS shower tray ST918CE

Material: Plastic

Dimensions: 900x1800mm

Cleanability:

Pass

Durability:

Pass

CE marking on the product



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Service Co., Ltd.
Ningbo Branch

No. 1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574) 87767006 www.sgsgroup.com.cn
t (86-574) 87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 6 of 19

THE SAMPLE 5 SUBMITTED WAS A SHOWER TRAY. OVERALL DIMENSION: 900X1800MM.

Style No.: ST918OF

■ Copy of marking plate and summary of test results (information/comments):



ANHUI JIT NEW MATERIAL CO., LTD.
NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH
INDUSTRIAL DEVELOPMENT ZONE, ANHUI
PROVINCE, CHINA

25

Declaration of Performance XXXXXX
EN 14527 – CL1 + CL2

Intended use: Personal hygiene

Product type: XPS shower tray ST918OF

Material: Plastic

Dimensions: 900x1800mm

Cleanability:

Pass

Durability:

Pass

CE marking on the product



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSL Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

THE REFERENCE SAMPLE WAS A SHOWER TRAY. OVERALL DIMENSION: XXXXXX^a MM.

Style No.: XXXXXX^b

■ Copy of marking plate and summary of test results (information/comments):



ANHUI JIT NEW MATERIAL CO., LTD.
NO. 7, SONGQUAN EAST ROAD, XUANCHENG HI-TECH
INDUSTRIAL DEVELOPMENT ZONE, ANHUI
PROVINCE, CHINA

25

Declaration of Performance XXXXXX
EN 14527 – CL1 + CL2

Intended use: Personal hygiene

Product type: XPS shower tray XXXXXX^b

Material: Plastic

Dimensions: XXXXXX^a

Cleanability:

Pass

Durability:

Pass

CE marking on the product

Note:

“a” represents the Dimension of reference sample in following table.

“b” represents the Style No. of reference sample in following table.

■ Summary of testing:

The submitted samples were tested and found to comply with applicable requirements of
EN 14527:2016+A1:2018.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 8 of 19

Test Conducted:

1. EN 14527:2016+A1:2018 Shower trays for domestic purposes

Sample No.	Style No	Dimensions(mm)	Remark	Sample Size
Test sample 1	ST1212CE	1200X1200	Center drain	1 piece
Test sample 2	ST1212OF	1200X1200	Offset drain	1 piece
Test sample 3	ST1212CO	1200X1200	Corner drain	1 piece
Test sample 4	ST918CE	900x1800	Center drain	1 piece
Test sample 5	ST918OF	900x1800	Offset drain	1 piece
Reference Sample	ST88CE	800x800	Center drain	/
	ST88CO	800x800	Corner drain	/
	ST99CE	900x900	Center drain	/
	ST99CO	900x900	Corner drain	/
	ST1010CE	1000x1000	Center drain	/
	ST1010OF	1000x1000	Offset drain	/
	ST1010CO	1000x1000	Corner drain	/
	ST1012CE	1000x12000	Center drain	/
	ST1012OF	1000x12000	Offset drain	/
	ST1012CO	1000x12000	Corner drain	/
	ST812CE	800x1200	Center drain	/
	ST812OF	800x1200	Offset drain	/
	ST812CO	800x1200	Corner drain	/
	ST814CE	800x1400	Center drain	/
	ST814OF	800x1400	Offset drain	/
	ST815CE	800x1500	Center drain	/
	ST815OF	800x1500	Offset drain	/
	ST912CE	900x1200	Center drain	/
	ST912OF	900x1200	Offset drain	/
	ST912CO	900x1200	Corner drain	/
	ST914CE	900x1400	Center drain	/
	ST914OF	900x1400	Offset drain	/
	ST915CE	900x1500	Center drain	/
	ST915OF	900x1500	Offset drain	/
	ST916CE	900x1600	Center drain	/
	ST916OF	900x1600	Offset drain	/

Clause	Test Method / Requirement	Result	Rating
4 Classification	Type 1: Products complying with the requirements of Clause 5 Type 2: Products complying with the requirements of Clause 6	Type 1+Type 2	Sample1-5: Pass
5 Characteristics for type 1 products			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSL Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 9 of 19

Clause	Test Method / Requirement	Result	Rating												
5.1 General	With each shower tray detailed instructions on installation and care shall be provided.	Instruction was provided by client	Sample1-5: Pass												
5.2 Cleanability															
5.2.1 Appearance of surface	When a shower tray is inspected under strong and oblique illumination, the surfaces intended to come into contact with water shall be visibly smooth, non-absorbent and free from inaccessible corners that would impair cleanability.	/	Sample1-5: Pass												
5.2.2 Drainage of water	Shower trays shall have at least one waste outlet hole. The dimensions of the waste outlet hole shall comply with the requirements of EN 251. Other dimensions are permissible, if the manufacturer provides or recommends a suitable waste fitting. All water shall empty from the shower tray unless prevented by surface tension.	All water drains away See Remark 1	Sample1-5: Pass												
5.3 Durability															
5.3.1 General	Conformance with the requirements of 5.3.2 to 5.3.4 gives an assurance of durability.	/	Sample1-5: Pass												
5.3.2 Stability of bottom	There shall be no permanent distortion or other defects, e.g. cracks, such that the requirements of 5.2.2 are not satisfied.	No permanent distortion or other defects	Sample1-5: Pass												
5.3.3 Resistance to chemicals and staining agents	5.3.3.1 General Shower trays, other than those made from the materials specified in 5.3.3.2, the surface finish shall be unaffected by the chemicals and staining agents specified in Table 1 except for superficial surface changes which are removable with water or with water and the specified abrasive agent. Experience has shown that shower trays made of glazed ceramics comply with these requirements. Table 1 — Chemicals and staining agents <table><tr><th>Family</th><th>Product</th></tr><tr><td>Acids</td><td>Acetic acid (CH₃COOH), 10 % V/V</td></tr><tr><td>Alkalines</td><td>Sodium hydroxide (NaOH), 5 % m/m</td></tr><tr><td>Alcohols</td><td>Ethanol (C₂H₅OH), 70 % V/V</td></tr><tr><td>Bleaches</td><td>Sodium hypochlorite (NaOCl), 5 % active chlorine (Cl₂)^a</td></tr><tr><td>Staining agents</td><td>Methylene blue, 1 % m/m</td></tr></table> ^a The above specified bleach may be replaced by sodium percarbonate (2Na ₂ CO ₃ · 3H ₂ O ₂) prepared as follows: Dissolve 1 g of a commercial available powdery bleach based on sodium percarbonate containing 15 % to 30 % of the active component in 100 ml de-ionized water at room temperature.	Family	Product	Acids	Acetic acid (CH ₃ COOH), 10 % V/V	Alkalines	Sodium hydroxide (NaOH), 5 % m/m	Alcohols	Ethanol (C ₂ H ₅ OH), 70 % V/V	Bleaches	Sodium hypochlorite (NaOCl), 5 % active chlorine (Cl ₂) ^a	Staining agents	Methylene blue, 1 % m/m	/	Sample1-5: Pass
Family	Product														
Acids	Acetic acid (CH ₃ COOH), 10 % V/V														
Alkalines	Sodium hydroxide (NaOH), 5 % m/m														
Alcohols	Ethanol (C ₂ H ₅ OH), 70 % V/V														
Bleaches	Sodium hypochlorite (NaOCl), 5 % active chlorine (Cl ₂) ^a														
Staining agents	Methylene blue, 1 % m/m														



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Clause	Test Method / Requirement	Result	Rating																		
	5.3.3.2 Particular requirements for shower trays made of enamelled steel and enamelled cast iron Shower trays made from enamelled steel and enamelled cast iron shall comply with the requirements given in Table 2. Table 2 — Requirements for shower trays made of enamelled steel and enamelled cast iron <table><tr><th>Requirement</th><th>Parameter</th><th>Test method</th></tr><tr><td>Resistance to boiling water</td><td>< 10 g/m²</td><td>EN ISO 28706-2:2011, Clause 13</td></tr><tr><td>Resistance to cold citric acid</td><td>EN Type C1 2a</td><td>EN ISO 28706-1:2011, Clause 9</td></tr><tr><td>Resistance to boiling citric acid</td><td>< 5 g/m²</td><td>EN ISO 28706-2:2011, Clause 10</td></tr><tr><td>Resistance to cold sulphuric acid</td><td>EN Type C1 2a</td><td>EN ISO 28706-1:2011, Clause 10</td></tr><tr><td>Resistance to alkali solutions</td><td>< 8 g/m²</td><td>Testing in accordance with EN ISO 28706-2:2011, Clause 14 Test solution in accordance with EN ISO 28706-3:2011, Clause 9 Duration of test: 2,5 h</td></tr></table> a EN Type C1 2 refers to EN ISO 28706-1	Requirement	Parameter	Test method	Resistance to boiling water	< 10 g/m ²	EN ISO 28706-2:2011, Clause 13	Resistance to cold citric acid	EN Type C1 2a	EN ISO 28706-1:2011, Clause 9	Resistance to boiling citric acid	< 5 g/m ²	EN ISO 28706-2:2011, Clause 10	Resistance to cold sulphuric acid	EN Type C1 2a	EN ISO 28706-1:2011, Clause 10	Resistance to alkali solutions	< 8 g/m ²	Testing in accordance with EN ISO 28706-2:2011, Clause 14 Test solution in accordance with EN ISO 28706-3:2011, Clause 9 Duration of test: 2,5 h	Not enamelled steel or enamelled cast iron tray	Sample 1-5: N/A
Requirement	Parameter	Test method																			
Resistance to boiling water	< 10 g/m ²	EN ISO 28706-2:2011, Clause 13																			
Resistance to cold citric acid	EN Type C1 2a	EN ISO 28706-1:2011, Clause 9																			
Resistance to boiling citric acid	< 5 g/m ²	EN ISO 28706-2:2011, Clause 10																			
Resistance to cold sulphuric acid	EN Type C1 2a	EN ISO 28706-1:2011, Clause 10																			
Resistance to alkali solutions	< 8 g/m ²	Testing in accordance with EN ISO 28706-2:2011, Clause 14 Test solution in accordance with EN ISO 28706-3:2011, Clause 9 Duration of test: 2,5 h																			
5.3.4 Resistance to temperature changes	All shower trays shall show no evidence of distortion or other defects, e.g. crazing, which will impair their cleanability. Experience has shown that shower trays manufactured from the stainless steel grades listed in Annex A, enamelled steel, enamelled cast iron and glazed ceramics comply with this requirement.	/	Sample1-5: Pass																		
6 Characteristics for type 2 products																					
6.1 General	With each shower tray detailed instructions on installation and care shall be provided.	Instruction was provided by client	Sample1-5: Pass																		
6.2 Cleanability																					
6.2.1 Appearance of surface	When a shower tray is inspected under strong and oblique illumination, the surfaces intended to come into contact with water shall be visibly smooth, non-absorbent and free from inaccessible corners that would impair the cleanability.	/	Sample1-5: Pass																		
6.2.2 Drainage of water	Shower trays shall have at least one waste outlet hole. The dimensions of the waste outlet hole shall comply with the requirements of EN 251. Other dimensions are permissible, if the manufacturer provides or recommends a suitable waste fitting. All water shall empty from the shower tray unless prevented by surface tension.	All water drains away See Remark 1	Sample1-5: Pass																		
6.3 Durability																					
6.3.1 General	Shower trays shall be readily cleanable for their anticipated working life when normal cleaning and maintenance is carried out.	/	Sample1-5: Pass																		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 11 of 19

Clause	Test Method / Requirement	Result	Rating
6.3.2 Materials	Experience has shown that shower trays made from plastics materials, enamelled steel, enamelled cast iron, stainless steel, glazed ceramics or glass and their surfaces intended to come into contact with water have the properties described in 6.3.1.	/	Sample1-5: Pass
7 Dangerous substances	National regulations on dangerous substances may require verification and declaration on release, and sometimes content, when construction products covered by this standard are placed on those markets. In the absence of European harmonized test methods, verification and declaration on release/content should be done taking into account provisions in the place of use. NOTE: An informative database covering European and national provisions on dangerous substances is available at the Construction website on EUROPA accessed through: http:// http://ec.europa.eu/growth/toolsdatabases/cp-ds/.	See Result 1	Sample 1-5: Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 12 of 19

Clause	Test Method / Requirement	Result	Rating												
9 Marking, labelling and packaging	The intended use of a shower tray is personal hygiene in accordance with the scope of this standard. EXAMPLE 1 Use of full text Personal hygiene. EXAMPLE 2 Use of abbreviation PH. Shower Trays can be described with a designation code which includes all the fulfilled essential requirements. The relevant Essential Characteristics for shower trays including their abbreviations are given in Table 3. Table 3 — Characteristics and abbreviations <table><tr><th>Abbreviation</th><th>Characteristics</th></tr><tr><td>EN 14527</td><td>Number of European Standard for shower trays for product description</td></tr><tr><td>CA</td><td>Cleanability</td></tr><tr><td>CL 1</td><td>Class 1 product complying with the requirement of Clause 5</td></tr><tr><td>CL 2</td><td>Class 2 product complying with the requirement of Clause 6</td></tr><tr><td>DA</td><td>Durability</td></tr></table> All shower trays shall be designated in accordance with the following system: A₁ Type A₁ Number of Standard EN 14527 - CL 1 CA — DA Cleanability Durability EXAMPLE 3 For a shower tray of Type 1 where all Essential Characteristics specified are satisfied. EN 14527 — CL 1 EXAMPLE 4 For a shower tray of both Type and Type 2 where all Essential Characteristics specified are satisfied. EN 14527 — CL 1 + CL 2	Abbreviation	Characteristics	EN 14527	Number of European Standard for shower trays for product description	CA	Cleanability	CL 1	Class 1 product complying with the requirement of Clause 5	CL 2	Class 2 product complying with the requirement of Clause 6	DA	Durability	CE label was provided	Sample1-5: Pass
Abbreviation	Characteristics														
EN 14527	Number of European Standard for shower trays for product description														
CA	Cleanability														
CL 1	Class 1 product complying with the requirement of Clause 5														
CL 2	Class 2 product complying with the requirement of Clause 6														
DA	Durability														

Remark:

1. A suitable waste fitting was provided by client.
2. N/A = Not applicable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 13 of 19

Result 1:

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	NGB25-0075614-0001.C001	Dark gray plastic part

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) “-” = Not Regulated

Entry 23 of Regulation (EU) 2016/217 amending Annex XVII of REACH Regulation (EC) No 1907/2006 - Cadmium and its compounds

Test Method: With reference to EN 1122:2001 Method B, analysis was performed by AAS or ICP-OES.

Test Item(s)	Limit	Unit(s)	MDL	A1
Cadmium(Cd)	0.01	%	0.0005	ND
Conclusion				Pass

Entry 50 of Regulation (EU) 2021/1199 amending Annex XVII of REACH Regulation (EC) No 1907/2006- Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1
Benzo(a)anthracene(BaA)	56-55-3	1.0	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	1.0	mg/kg	0.1	ND
Benzo(b)Fluoranthene(BbF)	205-99-2	1.0	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	1.0	mg/kg	0.1	ND
Benzo(k)Fluoranthene(BkF)	207-08-9	1.0	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	1.0	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	1.0	mg/kg	0.1	ND
Dibenzo(a,h)Anthracene(DBA)	53-70-3	1.0	mg/kg	0.1	ND
Conclusion					Pass

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

No.: NBHL251102810801PL

Date: DEC. 30, 2025

Page: 14 of 19

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. The declaration of conformity is based on acceptance limits chosen based on simple acceptance ($w = 0$, $AL = TL$).

Statements of conformity are reported as:

Passed - The measured values were observed in tolerance at the points tested.

Failed - One or more measured values were observed out of tolerance at the points tested.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.ssgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report


No.: NBHL251102810801PL

Date: DEC. 30, 2025


Page: 15 of 19

Sample Photo:


Test sample 1 as received




Test sample 1 (Front view)



Test sample 1 (Back view)



Test sample 2 as received



SGS-CSL Standards Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040


t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test sample 2 (Front view)



Test sample 2 (Back view)



Test sample 3 as received



Test sample 3 (Front view)



SGS-CSI Standards Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com


Test Report

No.: NBHL251102810801PL


Date: DEC. 30, 2025

Page: 17 of 19


Test sample 3 (Back view)




Test sample 4 as received



Test sample 4 (Front view)



Test sample 4 (Back view)



SGS-CSI Standards Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgs.com.cn
t (86-574)87767006 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Test Report

No.: NBHL251102810801PL


Date: DEC. 30, 2025

Page: 18 of 19


Test sample 5 as received



Test sample 5 (Front view)



Test sample 5 (Back view)



Instruction



SGS-CSI Standards Technical Service Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgsgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Test Report

No.: NBHL251102810801PL


Date: DEC. 30, 2025

Page: 19 of 19


Waste fittings




Reference sample - Center drain



Reference sample - Offset drain



Reference sample - Corner drain



SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Service Co., Ltd.
Ningbo Branch

No.1177 Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgsgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Member of the SGS Group (SGS SA)