





Specification

Tolerance Guidelines (Carcase Assembly)

Doors:
Doors including edge band (if required) + or - 0.5mm

Carcase:
Rails and Shelves + or - 0.5mm

Squareness:
Panels to be checked back to back + or - 1.0mm per linear metre
Panels corner to corner (diagonal) + or - 1.0mm per linear metre

Drilling:
Visible holes must be clean of chipping on circumference
Location + or - 0.5mm
Diameter + or - 0.1mm
Depth + or - 0.5mm
Countersunk hole depth no greater than 1.5mm depth
Spikes must be clearly visible

Groove / Slot / Rebate:
Depth + or - 0.5mm
Width + 0.5mm or - 0.0mm
Distance from Datum Edge + or - 0.5mm

Chipping:
A Face is visible at all times – no chipping allowed
B Face is intermittently visible – no chipping allowed
C Face is not visible – intermittent allowed

Refer to quality documentation and any relevant customer specification for more concise tolerance guidelines

Doors			
1	120	446	Cut and Edged
1	604	446	Cut and Edged
1	100	446	Cut and Edged
Panel Stock			
1	830	185	Finished Left End
1	830	185	Finished Right End
1	250	414	Unfinished Back



Fittings	
32	SCREW
6	8MM DOWEL
2	L BRACKET

Comment
Created 03Jan2023 - AM
L Shaped 900 WC Unit
Customer Code - 3999

0.8mm Alpine White ST30ST2
0.8mm Alpine White ST30ST2
0.8mm Alpine White ST30ST2

18mm AlpineWhiteST30ST2
18mm AlpineWhiteST30ST2
18mm White PFL

Cabinet Number	Quantity
11	1
Customer	
Sales Order	
Reference Luna Range L Shape	
Product	
Size H830 x W450 x D185	
Print Date 06/03/23 @7:49 AM	



Specification

Tolerance Guidelines (Carcase Assembly)

Doors:
Doors including edge band (if required) + or - 0.5mm

Carcase:
Rails and Shelves + or - 0.5mm

Squareness:
Panels to be checked back to back + or - 1.0mm per linear metre
Panels corner to corner (diagonal) + or - 1.0mm per linear metre

Drilling:
Visible holes must be clean of chipping on circumference
Location + or - 0.5mm
Diameter + or - 0.1mm
Depth + or - 0.5mm
Countersunk hole depth no greater than 1.5mm depth
Spikes must be clearly visible

Groove / Slot / Rebate:
Depth + or - 0.5mm
Width + 0.5mm or - 0.0mm
Distance from Datum Edge + or - 0.5mm

Chipping:
A Face is visible at all times – no chipping allowed
B Face is intermittently visible – no chipping allowed
C Face is not visible – intermittent allowed

Refer to quality documentation and any relevant customer specification for more concise tolerance guidelines

Doors			
1	120	456	Cut and Edged
1	100	456	Cut and Edged
2	579.5	226	Cut and Edged
Panel Stock			
1	830	335	Finished Left End
1	830	335	Finished Right End
1	485	424	Unfinished Back
1	424	275	Deck
1	424	70	Drawer Stretcher
1	422	256.5	Adjustable Shelf
Hardware			
4	63.5	25.4	Hinge
Fittings			
16	SCREW		
16	8MM DOWEL		
4	Shelf Support		
2	L BRACKET		

Comment
Created 03Jan2023 - AM
L Shaped 900 Basin Unit
Customer Code - 3998

0.8mm Alpine White ST30ST2
0.8mm Alpine White ST30ST2
0.8mm Alpine White ST30ST2


18mm AlpineWhiteST30ST2
18mm AlpineWhiteST30ST2
18mm White PFL
18mm White PFL
18mm AlpineWhiteST30ST2
18mm White PFL

110D Slyder S/C Hinge

Cabinet Number	Quantity
12	1
Customer	
Sales Order	
Reference	
Luna Range L Shape	
Product	
Size	
H830 x W460 x D335	
Print Date	
06/03/23 @7:49 AM	

TECHNICAL DATA SHEET

L SHAPE COMPACT BASIN LEFT HAND/RIGHT HAND



RANGE	COMPACT L SHAPE
PRODUCT TYPE	ONE PIECE COMPACT L SHAPE BASIN
CODE	
OUTER DIMENSIONS (HxWxD)	157 x 920 x 208-358mm
INTERNAL BASIN DIMENSIONS (HxW)	110 x 360mm
MATERIAL	SOLID SURFACE
TAP HOLE	ONE TAP HOLE
WASTE	NOT INCLUDED
OVERFLOW	YES
PRODUCT WEIGHT	13.3Kg
GUARANTEE	

*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.
**Fixing point dimensions are for guidance only, the positions of wall fixing must be checked when product is received.