

Identity GIA-5007-WRAS

DUAL CONTROL ROUND SHOWER VALVE - BLACK


PRODUCT SPECIFICATION

Product Code:	GIA-5007-WRAS
Finish:	Matt Black
Product Type:	Dual Control Round Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	2.377



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- One outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
6.8	9.5	14.3

Block GIA-5008-WRAS

DUAL CONTROL SQUARE SHOWER VALVE - BLACK


PRODUCT SPECIFICATION

Product Code:	GIA-5008
Finish:	Matt Black
Product Type:	Dual Control Square Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	2.44



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- One outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
6.8	9.5	14.3

Edentity GIA-5009
TRIPLE CONCEALED SHOWER VALVE
- BLACK


PRODUCT SPECIFICATION

Product Code:	GIA-5009
Finish:	Matt Black
Product Type:	Triple Concealed Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	3.3



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to $\pm 2^{\circ}\text{C}$ giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- Two outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
14.3	19.9	34.4

Block GIA-5010

TRIPLE CONCEALED SHOWER VALVE

- BLACK


PRODUCT SPECIFICATION

Product Code:	GIA-5010
Finish:	Matt Black
Product Type:	Triple Concealed Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	3.367



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- Two outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
11.1	15.3	24.2

Block GIA-SV-DV-BL-WRAS

DUAL CONTROL SQUARE SHOWER VALVE - CHROME


PRODUCT SPECIFICATION

Product Code:	GIA-SV-DV-BL
Finish:	Chrome
Product Type:	Dual Control Square Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	2.44



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- One outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
6.8	9.5	14.3

Identity GIA-SV-DV-ID-WRAS

DUAL CONTROL ROUND SHOWER VALVE - CHROME


PRODUCT SPECIFICATION

Product Code:	GIA-SV-DV-ID-WRAS
Finish:	Chrome
Product Type:	Dual Control Round Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	2.377



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- One outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
6.8	9.5	14.3

Block GIA-SV-TC-BL

TRIPLE CONCEALED SHOWER VALVE

- CHROME


PRODUCT SPECIFICATION

Product Code:	GIA-SV-TC-BL
Finish:	Chrome
Product Type:	Triple Concealed Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	3.367



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- Two outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
11.1	15.3	24.2

Edentity GIA-SV-TC-ID

TRIPLE CONCEALED SHOWER VALVE

- CHROME


PRODUCT SPECIFICATION

Product Code:	GIA-SV-TC-ID
Finish:	Chrome
Product Type:	Triple Concealed Shower Valve
Cartridge Type:	Thermostatic Cartridge and 3/4" Quarter Turn Cartridge
Inlet Connections:	G 1/2"
Outlet Connections:	G 1/2"
Construction:	Body: Brass, handles: Zinc, Plate: SS
Gross Weight (kg):	3.3



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to a 38°C
- Two outlet



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
14.3	19.9	34.4