

WC Frame

Technical Datasheet

Product Code	: 687
Product Name	: WC Frame
Material	Powder coated steel frame Styrofoam insulation PE soil pipe
Connection	: G1/2" (Male) Inlet (from top right corner)
Tank Capacity	: 10 L max
Outlet Flow Rate	: 3 – 6.5 LPF
Acoustic Class	: 1 st class Acc. to EN 14124
Related Directive	: 89/106/EEC
Compatible Standards	: EN 14055 CL1-7-NL I-VR-II




Technical Details

- Adjustable dual flush mechanism with factory settings 3 – 6.5 LPF. Mechanically actuated, durable flush mechanism.
- Working pressure: 0.1 to 16 bar, Working temperature: 0° to 60° C.
- Completely pre-assembled in the factory, easy to apply on the field.
- High resistance to impacts and thermal shocks with Impact copolymer special PP body.
- 1st acoustic class fill valve according to EN 14124 (Under 3 bar pressure; 9 L/min flow rate, 9 dB max. volume)
- Full body covered Styrofoam insulation to prevent condensation and better acoustic resistance.
- Powder coated metal frame.
- WC hanging rods can bear up to 400 kg.
- Suitable for both 18 cm and 23 cm axial distance of toilet bowls.
- 80mm thickness
- Suitable for drywall and brick wall installation.


WC Frame

Technical Datasheet

Main Dimensions




Pressure – Flow Rate Chart For Inlet Valve



WC Frame

Technical Datasheet

Box Contents – Part List



WC Frame

Technical Datasheet

PART NO.	PART CODE	PART NAME
1	170-518	WINDOW CASE
2	460-004	FLEXIBLE HOSE
3	170-760	ANGLE VALVE
4	170-503	FRAME SCREW NUT
5	170-763	SOIL PIPE ELBOW
6	170-511	SOIL PIPE ELBOW CLAMP
7	170-523	SOIL PIPE ELBOW STOPPER (BIG)
8	170-764	SOIL PIPE ELBOW EXTENSION PIPE
9	902-004	RODS COVER (SET)
10	170-742	WC PAN ADAPTER SEAL
11	160-522	WATER DISCHARGE EXTENSION PIPE
12	170-524	WATER DISCHARGE ELBOW STOPPER (SMALL)
13	170-541	WATER DISCHARGE ELBOW SEAL
14	150-585	WATER DISCHARGE ELBOW
15	150-741	DISCHARGE GROUP BODY SEAL
16	460-740	DISCHARGE GROUP SHUTTING SEAL
17	170-506	ADJUSTABLE FLUSH PLATE SCREW
18	170-505	WINDOW COVER
19	652-003	INLET VALVE (G 1/2)
20	900-003	DUAL FLUSH DISCHARGE GROUP
21	150-578	THRUST PART
22	150-579	BRIDGE
23	900-005	HANGER SET