


TECHNICAL DATASHEET

PRODUCT SPECIFICATION

Product Code:	GIA-TP-SV004
Finish	Matt Black
Product type:	Shower set with square bar shower valve (3 function handset)
Cartridge type:	Thermostatic cartridge and diverter cartridge
Inlet Connections:	G 3/4"
Outlet Connections:	G 1/2"
Fitting Dimensions:	150mm inlet centers
Construction:	Body: Brass, Handles: ABS, Riser: SS, Handset: ABS, Top head: SS, Hose: SS
Gross Weight (Kg):	4.375



ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to 38 °C

WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
7.6	10.7	18.7


TECHNICAL DATASHEET

PRODUCT SPECIFICATION

Product Code:	GIA-TP-SV005
Finish	Brushed Brass
Product type:	Shower set with square bar shower valve (3 function handset)
Cartridge type:	Thermostatic certridge and diverter cartridge
Inlet Connections:	G 3/4"
Outlet Connections:	G 1/2"
Fitting Dimensions:	150mm inlet centers
Construction:	Body: Brass, Handles: ABS, Riser: SS, Handset: ABS, Top head: SS, Hose: SS
Gross Weight (Kg):	4.375

ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled seperately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to 38 °C



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
7.6	10.7	18.7


TECHNICAL DATASHEET

PRODUCT SPECIFICATION

Product Code:	GIA-TP-SV003
Finish	Chrome
Product type:	Shower set with square bar shower valve (3 function handset)
Cartridge type:	Thermostatic cartridge and diverter cartridge
Inlet Connections:	G 3/4"
Outlet Connections:	G 1/2"
Fitting Dimensions:	150mm inlet centers
Construction:	Body: Brass, Handles: ABS, Riser: SS, Handset: ABS, Top head: SS, Hose: SS
Gross Weight (Kg):	4.375

ADDITIONAL INFORMATION

- Dual Control: Flow and temperature are controlled separately giving accurate control of both
- Thermostatic cartridge maintains showering temperature to +/- 2c giving a stable outlet temperature
- Automatic shut-off in the event of cold water supply failure, to prevent scalding
- Temperature factory set to 38 °C



WORKING PRESSURES (bar)

Min Pressure	Max Pressure	Best Performance
0.5 bar	5 bar	3 bar

FLOW RATES (litres per minute)

0.5 Bar	1 Bar	3 Bar
7.6	10.7	18.7